

ALLEGATO TECNICO_CONFIGURAZIONE SERVER					
ASL VITERBO					
Configurazione Server					
Riepilogo articoli					
Nome prodotto	Qtà prodotto	Nome modulo	Nome opzione	SKU (Codice)	Qtà
Viterbo Belcolle - Windows Server 2022,Datacenter,ROK,I6CORE (for Distributor sale only) - [G895GIM]	3				
		N/A	Windows Server 2022,Datacenter,ROK,I6CORE (for Distributor sale only)	[634-BYLC]	1
Viterbo Belcolle - Windows Server 2022 / 2019 Datacenter Edition,Add License,I6CORE,NO MEDIA/KEY, Cus Kit - [GHGA90K]	9				
		N/A	Windows Server 2022 / 2019 Datacenter Edition,Add License,I6CORE,NO MEDIA/KEY, Cus Kit	[634-BYKV]	1
Viterbo Belcolle - Windows Server 2022 Datacenter,No Media, WS2019 DC Downgrade w/DVD Media,Multi Lang, Customer Kit - [G8U1FZ6]	3				
		N/A	Windows Server 2022 Datacenter,No Media, WS2019 DC Downgrade w/DVD Media,Multi Lang, Customer Kit	[634-CCHL]	1
Tarquinia, Montefiascone, Civita Castellana, Orte, Acquapendente,R - Windows Server 2022,Datacenter,ROK,I6CORE (for Distributor sale only) - [G895GIM]	6				
		N/A	Windows Server 2022,Datacenter,ROK,I6CORE (for Distributor sale only)	[634-BYLC]	1
Tarquinia, Montefiascone, Civita Castellana, Orte - Windows Server 2022 / 2019 Datacenter Edition,Add License,I6CORE,NO MEDIA/KEY, Cus Kit - [GHGA90K]	6				
		N/A	Windows Server 2022 / 2019 Datacenter Edition,Add License,I6CORE,NO MEDIA/KEY, Cus Kit	[634-BYKV]	1
Tarquinia, Montefiascone, Civita Castellana, Orte - Windows Server 2022 Datacenter,No Media, WS2019 DC Downgrade w/DVD Media,Multi Lang, Customer Kit	6				
		N/A	Windows Server 2022 Datacenter,No Media, WS2019 DC Downgrade w/DVD Media,Multi Lang, Customer Kit	[634-CCHL]	1
Viterbo Belcolle - HUB - R750	3				
		Base	PowerEdge R750 Server	[210-AYCG]	1
		FRONT STORAGE	Chassis with No Backplane	[379-BDSY]	1
		BACKPLANE	No Backplane	[379-BDSV]	1
		REAR STORAGE	No Rear Storage	[379-BDTE]	1
		GPU ENABLEMENT	No GPU Enablement	[379-BDSR]	1
		Trusted Platform Module	Trusted Platform Module 2.0 V3	[461-AAIG]	1
		Chassis Configuration	No HD, No Backplane, 2 CPU	[321-BHQL]	1
		Processor	Intel® Xeon® Gold 6338N 2.2G, 32C/64T, 11.2GT/s, 48M Cache, Turbo, HT (185W) DDR4-2666	[338-CBCM]	1
		Additional Processor	Intel® Xeon® Gold 6338N 2.2G, 32C/64T, 11.2GT/s, 48M Cache, Turbo, HT (185W) DDR4-2666	[338-CBCM], [379-BDCO]	1

ALLEGATO TECNICO_CONFIGURAZIONE SERVER					
Nome prodotto	Qtà prodotto	Nome modulo	Nome opzione	SKU (Codice)	Qtà
		Processor Thermal Configuration	Heatsink for 2 CPU configuration (CPU greater than or equal to 165W)	[412-AAVB]	1
		Memory Configuration Type	Performance Optimized	[370-AAIP]	1
		Memory DIMM Type and Speed	3200MT/s RDIMMs	[370-AEVR]	1
		Memory Capacity	32GB RDIMM, 3200MT/s, Dual Rank, 16Gb BASE x8	[370-AGDS]	16
		RAID Configuration	C0, Diskless Configuration (No RAID, No Controller)	[780-BCDH]	1
		RAID/Internal Storage Controllers	No Controller	[405-AACD]	1
		Hard Drives	No Hard Drive	[400-ABHL]	1
		BIOS and Advanced System Configuration Settings	Power Saving Dell Active Power Controller	[750-AABF]	1
		Embedded Systems Management (Multi)	iDRAC9, Enterprise 15G	[385-BBQV]	1
		Embedded Systems Management (Multi)	Server Secured Component Verification	[528-COYT]	1
		Advanced System Configurations	No Energy Star	[387-BBEY]	1
		Fans	Standard Fan x6	[750-ADGK]	1
		Power Supply	Dual, Hot-Plug, Power Supply FTR, 1100W MM (100-240Vac) Titanium, Redundant (1+1)	[450-AKKS]	1
		Power Cords	Rack Power Cord 2M (C13/C14 10A)	[450-AADY]	2
		PCIe Riser	Riser Config 1, 6x8, 2x16 slots	[330-BBRV]	1
		Motherboard	R750 Motherboard with Broadcom 5720 Dual Port 1Gb On-Board LOM, Ti	[329-BHMS]	1
		OCP 3.0 Network Adapters	Broadcom 57416 Dual Port 10GbE BASE-T Adapter, OCP NIC 3.0	[540-BCOD]	1
		Additional Network Cards	Broadcom 5719 Quad Port 1GbE BASE-T Adapter, PCIe Full Height, V2, FIRMWARE RESTRICTIONS APPLY	[540-BDRH]	2
		Quick Sync	No Quick Sync	[350-BBYX]	1
		Password	iDRAC,Factory Generated Password	[379-BCSF]	1
		Fibre Channel Adapters	Emulex LPe35002 Dual Port FC32 Fibre Channel HBA, PCIe Low Profile	[406-BBTM]	2
		IDRAC Service Module	iDRAC Service Module (ISM), NOT Installed	[379-BCQX]	1
		Group Manager	iDRAC Group Manager, abilitato	[379-BCQV]	1
		GPU/FPGA/Acceleration Cables	No Cables Required, No GPU Blanks	[470-AEYU]	1
		Bezel	PowerEdge 2U LCD Bezel	[325-BEBV], [350-BCED]	1
		Boot Optimized Storage Cards	BOSS-S2 controller card + with 2 M.2 240GB (RAID 1)	[403-BCMG], [470-AERR]	1
		Operating System	No Operating System	[611-BBBF]	1
		OS Media Kits	No Media Required	[605-BBFN]	1

ALLEGATO TECNICO_CONFIGURAZIONE SERVER

Nome prodotto	Qtà prodotto	Nome modulo	Nome opzione	SKU (Codice)	Qtà
		Rack Rails	ReadyRails Sliding Rails With Cable Management Arm	[770-BBBQ], [770-BDRQ]	1
		System Documentation	No Systems Documentation, No OpenManage DVD Kit	[631-AAACK]	1
		SHIPPING	PowerEdge R750 Shipping EMEA I (English/French/German/Spanish/Russian/Hebrew)	[340-CWQN]	1
		Shipping Material	PowerEdge R750 Shipping Material	[481-BBFG]	1
		Regulatory	PowerEdge R750 CE, CCC, Marking, No BIS Marking	[389-DYHB], [389-DZXU]	1
		Shipping/Order information	Enterprise Order - EMEA	[800-11671]	1
		OEM Regulatory	PowerEdge Configuration	[389-EFJU]	1
		ECCN	Decline Selection	[817-BBBP]	1
		Dell Services: Extended Service	ProSupport with 4-Hour Onsite Service, 60 Mese/i	[199-BONO], [199-BONP]	1
		Dell Services: Hardware Support	Basic Next Business Day 36 Months, 36 Mese/i	[709-BBIM]	1
		Infrastructure Deployment Svcs	Basic Deployment PowerEdge R Series 1u2u	[683-BBGK]	1
		Dell Services: Deployment Services	Infrastructure Deployment Selected	[883-17666]	1
		Configuration Services Asset Report	Configuration Services, Standard ISG System Report, Deliver Via Email	[708-10082]	1
		Shipping Box Labels - Standard	Order Configuration Shipbox Label (Ship Date, Model, Processor Speed, HDD Size, RAM)	[293-10049]	1
		Anti Theft Device & Asset Tagging	Asset Tag - ProSupport (Website, barcode, Onboard MacAddress)	[293-10025]	1
Tarquinia, Montefiascone, Civita Castellana, Orte, Acquapendente, Ronciglione - Spoke - R750	6				
		Base	PowerEdge R750 Server	[210-AYCG]	1
		FRONT STORAGE	Chassis with up to 24x2.5" Drives	[379-BDTF]	1
		BACKPLANE	SAS/SATA Backplane	[379-BDSS]	1
		REAR STORAGE	No Rear Storage	[379-BDTE]	1
		GPU ENABLEMENT	No GPU Enablement	[379-BDSR]	1
		Trusted Platform Module	Trusted Platform Module 2.0 V3	[461-AAIG]	1
		Chassis Configuration	2.5" Chassis with up to 24 SAS/SATA Drives, 2 CPU	[321-BGFC]	1
		Processor	Intel® Xeon® Silver 4314 2.4G, 16C/32T, 10.4GT/s, 24M Cache, Turbo, HT (135W) DDR4-2666	[338-CBWK]	1
		Additional Processor	Intel® Xeon® Silver 4314 2.4G, 16C/32T, 10.4GT/s, 24M Cache, Turbo, HT (135W) DDR4-2666	[338-CBWK], [379-BDCO]	1
		Processor Thermal Configuration	Heatsink for 2 CPU configuration (CPU less than 165W)	[412-AAWE]	1
		Memory Configuration Type	Performance Optimized	[370-AAIP]	1
		Memory DIMM Type and Speed	3200MT/s RDIMMs	[370-AEVR]	1

ALLEGATO TECNICO_CONFIGURAZIONE SERVER

Nome prodotto	Qtà prodotto	Nome modulo	Nome opzione	SKU (Codice)	Qtà
		Memory Capacity	32GB RDIMM, 3200MT/s, Dual Rank, 16Gb BASE x8	[370-AGDS]	8
		RAID Configuration	C7, Unconfigured RAID for HDDs or SSDs (Mixed Drive Types Allowed)	[780-BCDS]	1
		RAID/Internal Storage Controllers	Front PERC H755 Rear Load (for 2.5" x24 SAS/SATA chassis)	[405-AAZB], [750-ADED]	1
		Hard Drives	3.84TB SSD SAS RI 24Gbps 512e 2.5in Hot-Plug, AG Drive 1DWPD	[345-BELZ]	5
		Hard Drives	2.4TB 10K RPM SAS ISE 12Gbps 512e 2.5in Hot-plug Hard Drive	[400-AVEZ]	9
		BIOS and Advanced System Configuration Settings	Power Saving Dell Active Power Controller	[750-AABF]	1
		Embedded Systems Management (Multi)	iDRAC9, Enterprise 15G	[385-BBQV]	1
		Embedded Systems Management (Multi)	Server Secured Component Verification	[528-COYT]	1
		Advanced System Configurations	UEFI BIOS Boot Mode with GPT Partition	[800-BBDM]	1
		Fans	Standard Fan x6	[750-ADGK]	1
		Power Supply	Dual, Hot-Plug, Power Supply FTR, 1100W MM (100-240Vac) Titanium, Redundant (1+1)	[450-AKKS]	1
		Power Cords	Rack Power Cord 2M (C13/C14 10A)	[450-AADY]	2
		PCIe Riser	Riser Config 1, 6x8, 2x16 slots	[330-BBRV]	1
		Motherboard	R750 Motherboard with Broadcom 5720 Dual Port 1Gb On-Board LOM, Ti	[329-BHMS]	1
		OCP 3.0 Network Adapters	Broadcom 57416 Dual Port 10GbE BASE-T Adapter, OCP NIC 3.0	[540-BCOD]	1
		Additional Network Cards	Broadcom 5719 Quad Port 1GbE BASE-T Adapter, PCIe Full Height, V2, FIRMWARE RESTRICTIONS APPLY	[540-BDRH]	2
		Quick Sync	No Quick Sync	[350-BBYX]	1
		Password	iDRAC,Factory Generated Password	[379-BCSF]	1
		IDRAC Service Module	iDRAC Service Module (ISM), NOT Installed	[379-BCQX]	1
		Group Manager	iDRAC Group Manager, abilitato	[379-BCQV]	1
		GPU/FPGA/Acceleration Cables	No Cables Required, No GPU Blanks	[470-AEYU]	1
		Bezel	PowerEdge 2U LCD Bezel	[325-BEBV], [350-BCED]	1
		Boot Optimized Storage Cards	BOSS-S2 controller card + with 2 M.2 240GB (RAID 1)	[403-BCMG], [470-AERR]	1
		Operating System	No Operating System	[611-BBBF]	1
		OS Media Kits	No Media Required	[605-BBFN]	1
		Rack Rails	ReadyRails Sliding Rails With Cable Management Arm	[770-BBBQ], [770-BDRQ]	1
		System Documentation	No Systems Documentation, No OpenManage DVD Kit	[631-AACK]	1

ALLEGATO TECNICO_CONFIGURAZIONE SERVER

Nome prodotto	Qtà prodotto	Nome modulo	Nome opzione	SKU (Codice)	Qtà
		SHIPPING	PowerEdge R750 Shipping EMEA I (English/French/German/Spanish/Russian/Hebrew)	[340-CWQN]	1
		Shipping Material	PowerEdge R750 Shipping Material	[481-BBFG]	1
		Regulatory	PowerEdge R750 CE, CCC, Marking, No BIS Marking	[389-DYHB], [389-DZXU]	1
		Shipping/Order information	Enterprise Order - EMEA	[800-11671]	1
		OEM Regulatory	PowerEdge Configuration	[389-EFJU]	1
		ECCN	Decline Selection	[817-BBBP]	1
		Dell Services: Extended Service	ProSupport with 4-Hour Onsite Service, 60 Mese/i	[199-BONO], [199-BONP]	1
		Dell Services: Hardware Support	Basic Next Business Day 36 Months, 36 Mese/i	[709-BBIM]	1
		Infrastructure Deployment Svcs	Basic Deployment PowerEdge R Series 1u2u	[683-BBGK]	1
		Dell Services: Deployment Services	Infrastructure Deployment Selected	[883-17666]	1
		Configuration Services Asset Report	Configuration Services, Standard ISG System Report, Deliver Via Email	[708-10082]	1
		Shipping Box Labels - Standard	Order Configuration Shipbox Label (Ship Date, Model, Processor Speed, HDD Size, RAM)	[293-10049]	1
		Anti Theft Device & Asset Tagging	Asset Tag - ProSupport (Website, barcode, Onboard MacAddress)	[293-10025]	1